


"Innovative Solutions For Smart Partners"

AL8-G


Universal Data Logger





> AL8-G

Universal Data Logger



Key Features

AL8-G

- User-friendly and intuitive operation PC software
- 8 independent differential input channels
- Analogue input rating: Voltage: ±2500mV or Current: 0-20 mA
- ☐ Display readings and graphs in real time through PC software
- ☐ Compatible with most analog sensors such as load cells, pressure transducers, strain gauges, LDT/Potentiometric displacement transducers
- Internal calibration formula for various type of thermocouple, 4-20 mA transducer, mv/v sensors and accept equation for none linear sensors
- Onboard ambient temperature sensor
- Effective resolution: 65000 points
- Sampling rate up to 500 readings per second for each channel
- ☐ Through software adjustable input gain: 1X ~ 128X
- □ USB connection to PC via general or customized software
- ☐ HMI connection via RS485 (MODBUS RTU)
- Save data on Micro SD storage card
- Two incremental encoder input
- □ Calculating desired parameter by formulating input channels

Contact:

Address: No1, First Alley, Gomnam St., Fatemi Sq., Tehran, Iran

E-mail: Globalsales@atron-electronic.com

Website: www.atron-electronic.com



"Innovative Solutions For Smart Partners"

Atron Electronic Systems









