



*“Innovative Solutions
For Smart Partners”*


AL8-G

Universal Data Logger

AL8-G


▶ Key Features

- ❑ User-friendly and intuitive operation PC software
- ❑ 8 independent differential input channels
- ❑ Analogue input rating: Voltage: $\pm 2500\text{mV}$ or Current: 0-20 mA
- ❑ Display readings and graphs in real time through PC software
- ❑ Compatible with most analog sensors such as load cells, pressure transducers, strain gauges, LDT/Potentiometric displacement transducers
- ❑ Internal calibration formula for various type of thermocouple, 4-20 mA transducer ,mv/v sensors and accept equation for none linear sensors
- ❑ Onboard ambient temperature sensor (Used for Thermocouple calculation)
- ❑ Effective resolution: 65000 points
- ❑ Sampling rate up to 500 readings per second for each channel
- ❑ Through software adjustable input gain: 1X ~ 128X
- ❑ USB connection to PC via general or customized software
- ❑ HMI connection via RS485 (MODBUS RTU)
- ❑ Save data on Micro SD storage card
- ❑ Two incremental encoder input
- ❑ 4 virtual channel to apply any desirable formula to each channel readings to calculate specific parameters.
- ❑ 4 virtual machine can be defined. The logging process can be started separately for each machine and the data will be saved in a separate file.



▶ AL8-G

Universal Data Logger



Contact:

E-mail: Globalsales@atron-electronic.com

Website: www.atron-electronic.com

Whats app: [+90 531 371 0489](https://wa.me/905313710489)



*“Innovative Solutions
For Smart Partners”*

Atron Electronic Systems

